

NC State University Design and Construction Guidelines

Division 12 Furnishings - Exterior

1.0 Purpose

- A. This section addresses furnishings including exterior benches, trash and recycling receptacles, ash urns, and bicycle racks.

2.0 General Requirements

- A. Exterior Benches
 - 1. Backless benches shall be NC State redwood bench.
 - 2. Benches with backs shall comply with NC State's Preferred Manufacturer List.
- B. Outdoor Dining and Game Tables
 - 1. Use dark or neutral color, metal tables and chairs
 - 2. Tables and chairs shall be graffiti resistant and shall shed water.
- C. Exterior Trash and Recycling Receptacles
 - 1. Trash and recycling receptacles shall comply with NC State's Preferred Manufacturer List.
 - 2. Where needed, recycling receptacles shall be paired with a trash receptacle.
 - 3. Trash receptacle shall have spun steel tapered lid with 11" diameter opening. Recycling receptacle shall have spun steel tapered lid with an 8" diameter opening.
 - 4. Color for receptacles and trash tapered lid is architectural bronze. Color for recycling tapered lid is Recycling blue.
- D. Exterior Ash urns
 - 1. Ash urns shall be added to trash receptacles where needed.
 - 2. Urn shall be a spun aluminum dome ash lid with stainless steel snuffer bowl.
- E. Bicycle racks
 - 1. Bicycle racks shall comply with NC State's Preferred Manufacturer List.
 - 2. In ground mount option shall be used. Locate on pavement and under cover where possible.